SAFETY DATA SHEET

SDS Revision: 1.0 Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision Date: 9/23/2020

1.1	Product Name:	25 VOLUME CRÈME DEVELOPER
1.2	Chemical Name:	NA NA
1.3	Synonyms:	25 VOLUME CRÈME DEVELOPER
1.4	Trade Names:	25 VOLUME CRÈME DEVELOPER
1.5	Product Uses & Restrictions:	Professional Use Only
1.6	Distributor's Name:	
1.7	Distributor's Address:	
1.8	Emergency Phone:	CHEMTREC: +1 (703) 527-3887 / +1 (800) 424-9300 (CCN 10069)
1.9	Business Phone / Fax:	+1 (732) 446-2202 / +1 (732) 446-7968
		2 HAZADDO IDENTIFICATION
		2. HAZARDS IDENTIFICATION
2.1	Hazard Identification:	This product is classified as a HAZARDOUS SUBSTANCE but NOT as DANGEROUS GOODS

according to the classification criteria of NOHSC: 1088 (2004) and ADG Code (Australia). WARNING! HARMFUL IF SWALLOWED. CAUSES SERIOUS EYE IRRITATION. Classification: Eye Irrit. 2; Acute Oral 4 Hazard Statements (H): H302 – Harmful if swallowed. H319 – Causes serious eye irritation. Precautionary Statements (P): P264 - Wash thoroughly after handling. P280 - Wear protective gloves and eye/face protection. P305+P351+P338 - IF IN EYES: Remove contact lenses, if present and easy to do. Continue rinsing. P337+P313 – If eye irritation persists: Get medical advice/attention. P405 – Store locked up. P501 – Dispose of contents/container to a licensed treatment, storage or disposal facility (TSDF).



3. COMPOSITION & INGREDIENT INFORMATION

		EXPOSURE LIMITS IN AIR (mg/m³)											
					AC	GIH		NOHSC			OSHA		
					pp	m		ppm			ppm		
CHEMICAL NAME(S)	CAS No.	RTECS No.	EINECS No.	%	TLV	STEL	ES- TWA	ES- STEL	ES- PEAK	PEL	STEL	IDLH	OTHER
AOUA (MATER/EAU)	7732-18-5	ZC0110000	231-791-2	50-80	NA	NA	NF	NF	NF	NA	NA	NA	
AQUA (WATER/EAU)													
HYDROGEN PEROXIDE	7722-84-1	MX0900000	231-765-0	<8.0	(1.4)	NA	(1.4)	NF	NF	(1.4)	NA	75	
HYDROGEN PEROXIDE	Eye Irrit. 2; H3	19											
PHOSPHORIC ACID	7664-38-2	TB6300000	231-633-2	< 1.0	(1)	(3)	NF	NF	NF	NA	NA	1000	
PHOSPHORIC ACID	Skin Corr. 1B;	H314											
TETRASODIUM EDTA	10378-23-1	NA	NA	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
TETRASODIUM EDTA													
PROPIETARY BLEND	NA	NA	NA	< 1.0	NA	NA	NF	NF	NF	NA	NA	NA	
PROPIETART BLEND													

			4. FIRST AID MEASURES
4.1	First Aid:	Ingestion:	If ingested, do not induce vomiting. If product has been swallowed, drink plenty of water or milk IMMEDIATELY. If the patient is vomiting, continue to offer water or milk. Never give water or milk to an unconscious person. Contact the nearest Poison Control Center or local emergency number. Provide an estimate of the time at which the material was ingested and the amount of the substance that was swallowed.
		Eyes:	Splashes are not likely; however, if product gets in the eyes, flush with copious amounts of lukewarm water for at least 15 minutes. Seek immediate medical attention.
		<u>Skin</u> :	If irritation occurs and product is on the skin, rinse thoroughly with lukewarm water, followed by a thorough washing of the affected area with soap and water. If irritation, redness or swelling persists, contact a physician immediately.
		Inhalation:	Remove victim to fresh air at once.
4.2	Effects of Exposure:	Ingestion:	If product is swallowed, may cause nausea, vomiting and/or diarrhea.
		Eyes:	Moderately irritating to the eyes. Symptoms of overexposure may include redness, itching, irritation and watering.
		<u>Skin</u> :	May be irritating to skin. The product can cause allergic skin reactions (e.g., rashes, welts, dermatitis) in some sensitive individuals.
		Inhalation:	None expected.
4.3	Symptoms of Overexposure:	include redne	e in eyes may cause severe damage, redness, itching and watering. Symptoms of skin overexposure may ess, itching, and irritation of affected areas. The product can cause allergic skin reactions (e.g., rashes, itis) in some sensitive individuals.
4.4	Acute Health Effects:		ion to eyes. Symptoms of overexposure may include redness, itching, stinging, irritation and watering. ation to skin near affected areas.

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 9/23/2020 4. FIRST AID MEASURES - cont'd 4.5 Chronic Health Effects: No harmful or chronic health effects are expected to occur from a single accidental ingestion. 4.6 Target Organs: Eyes, Skin, Respiratory System 47 Medical Conditions Pre-existing dermatitis, other skin conditions, and disorders of the **HEALTH** Aggravated by Exposure: target organs (eyes, skin, and respiratory system). 0 **FLAMMABILITY** PHYSICAL HAZARDS 1 PROTECTIVE EQUIPMENT В EYES SKIN 5. FIREFIGHTING MEASURES Fire & Explosion Hazards: 5 1 This product is not flammable. Extinguishing Methods: CO₂, Halon (if permitted), Dry Chemical, Foam, as authorized. 52 As in any fire, wear MSHA/NIOSH approved self-contained breathing apparatus (pressure-5.3 Firefighting Procedures: demand) and full protective gear. Keep containers cool until well after the fire is out. Use water spray to cool fire-exposed surfaces and to protect personal. Fight fire upwind. Prevent runoff from fire control or dilution from entering sewers, drains, drinking water supply, or any natural waterway. Firefighters must use full bunker gear including NIOSH-approved positive pressure self-contained breathing apparatus to protect against potential hazardous combustion or decomposition products and oxygen deficiencies. 6. ACCIDENTAL RELEASE MEASURES Spills: 6.1 Before cleaning any spill or leak, individuals involved in spill cleanup must wear appropriate Personal Protective Equipment (PPE). Keep incompatible materials (e.g., organics such as oil) away from spill. For small spills (e.g., < 1 gallon (3.8 L)) wear appropriate personal protective equipment (e.g., goggles, gloves). Maximize ventilation (open doors and windows). Remove spilled material with absorbent material and place into appropriate closed container(s) for disposal. Dispose of properly in accordance with local, state and federal regulations. Wash all affected areas and outside of container with plenty of warm water and soap. Remove any contaminated clothing and wash thoroughly before reuse. For large spills (e.g., ≥ 1 gallon (3.8 L)), deny entry to all unprotected individuals. Dike and contain spill with inert material (e.g., sand or earth). Transfer liquid to containers for recovery or disposal and solid diking material to separate containers for proper disposal. Remove contaminated clothing promptly and wash affected skin areas with soap and water. Keep spills and cleaning runoffs out of municipal sewers and open bodies of water. 7. HANDLING & STORAGE INFORMATION Work & Hygiene Practices: Do not eat, drink, or smoke while handling this product. Wash thoroughly after handling. Avoid contact with flammable or combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk covered. Wash unintentional residues with soap and warm water. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans). Keep away from excessive heat and open flames. Avoid temperatures above 120 °F. Keep away from incompatible substances. Protect containers 7.2 Storage & Handling: from physical damage. 7.3 Special Precautions Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. 8. EXPOSURE CONTROLS & PERSONAL PROTECTION OTHER Exposure Limits: **ACGIH** NOHSC OSHA ppm (mg/m³) CHEMICAL NAME(S) STEL ES-TWA ES-PEAK IDLH **ES-STEL** PEL STEL HYDROGEN PEROXIDE (1.4)NA (1.4)NF NF (1.4)NA 75 PHOSPHORIC ACID (1) (3) NA Ventilation & Engineering 8.2 When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans). Controls: Ensure that an eyewash station, sink or washbasin is available in case of exposure to eyes. 8.3 Respiratory Protection: No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia. 8.4 Eye Protection: AVOID EYE CONTACT. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants 8.5 Hand Protection: If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states. 8.6 Body Protection: However, no special body protection is required under typical circumstances of use and handling. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA

SDS Revision Date: 9/23/2020

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

9. PHYSICAL & CHEMICAL PROPERTIES 9.1 Appearance: White pourable cream 92 Odor None 9.3 Odor Threshold: NA 9.4 3.00-3.70 9.5 Melting Point/Freezing Point: NA Initial Boiling Point/Boiling 9.6 NA 9.7 Flashpoint: NA 9.8 Upper/Lower Flammability NA 99 Vapor Pressure: NA 9.10 Vapor Density: NA 9.11 Relative Density: 0.976-1.020 9.12 Solubility: Soluble 9.13 Partition Coefficient (log Pow): NA 9.14 Autoignition Temperature NA 9.15 Decomposition Temperature: NA 9.16 NA 9.17 Other Information: NA 10. STABILITY & REACTIVITY Stability: 10.1 This product is stable. 10.2 Hazardous Decomposition Oxides of carbon (CO, CO₂) and sulfur (SO₂). Liberation of gas my result in dangerous pressure. Products 10.3 Hazardous Polymerization: 10.4 Conditions to Avoid: Open flames, sparks and high heat, direct sunlight. Incompatible Substances: 10.5 Store away from flammable liquids, flammable solids, aerosols and other incompatible materials (e.g., reducing materials, combustible materials, metal contamination like iron, copper their alloys). Avoid contamination. Do not store any tint, lightener lotion or bleach powder after it has been mixed with developer; the container may rupture. Never return unused material to original container. Avoid extreme heat and ignition sources 11. TOXICOLOGICAL INFORMATION Inhalation: YES Absorption: YES Ingestion: YES 11.1 Routes of Entry: 11.2 Toxicity Data: This product has not been tested on animals to obtain toxicological data. There are toxicology data for the components of this product. 11.3 Acute Toxicity: See section 4.4 11.4 Chronic Toxicity See section 4.5 Suspected Carcinogen: 11.5 This product contains Hydrogen peroxide listed: ACGIH Group A3; IARC Group 3: Not classifiable as to its carcinogenicity to humans. Reproductive Toxicity: 11.6 This product is not reported to produce reproductive toxicity in humans. Mutagenicity: This product is not reported to produce mutagenic effects in humans. Embryotoxicity: This product is not reported to produce embryotoxic effects in humans. Teratogenicity: This product is not reported to cause teratogenic effects in humans. Reproductive Toxicity: This product is not reported to cause reproductive effects in humans. 11.7 Irritancy of Product: See Section 4.3. 11.8 Biological Exposure Indices: NE 11.9 Physician Recommendations: Treat symptomatically. 12. ECOLOGICAL INFORMATION 12.1 **Environmental Stability** There is no specific data available for this product. 12.2 Effects on Plants & Animals: There is no specific data available for this product. 12.3 Effects on Aquatic Life There is no specific data available for this product. 13. DISPOSAL CONSIDERATIONS Waste Disposal: Dispose of in accordance with federal, state and local regulations 13.2 Special Considerations:

Page 4 of 6

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SARA Reporting

Requirements:

15.1

SDS Revision: 1.0

SDS Revision Date: 9/23/2020

11	TDANCDC		INFORMATION
14.	INANGEL	JRIAIIUN	INFURINATION

The basic description (ID Number, proper shipping name, hazard class & division, packing group) is shown for each mode of transportation. Additional descriptive information may be required by 49 CFR, IATA/ICAO, IMDG and the CTDGR.

14.1	49 CFR (GND):	NOT REGULATED
14.2	IATA (AIR):	NOT REGULATED
14.3	IMDG (OCN):	NOT REGULATED
14.4	TDGR (Canadian GND):	NOT REGULATED
14.5	ADR/RID (EU):	NOT REGULATED
14.6	SCT (MEXICO):	NOT REGULATED
14.7	ADGR (AUS):	NOT REGULATED

15. REGULATORY INFORMATION

This product contains Phosphoric Acid a substances subject to SARA Title III, section 313 reporting requirements.

	rrequirements.			
15.2	SARA Threshold Planning Quantity:	There are no specific Threshold Planning Quantities for the components of this product.		
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.		
15.4	CERCLA Reportable Quantity (RQ):	Phosphoric Acid: 5,000 lbs (2,270 kg)		
15.5	Other Federal Requirements:	This product complies with the appropriate sections of the Food and Drug Administration's 21 CFR subchapter G (Cosmetics). This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.		
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the MSDS contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS		
15.7	State Regulatory Information:	Hydrogen Peroxide is found on the following state criteria list: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), Pennsylvania Right-to-Know List (PA) and Washington Permissible Exposures List (WA). Phosphoric Acid is found on the following state criteria lists: FL, MA, MN, and PA. No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).		
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: Hydrogen Peroxide: Irritant (Xi); Harmful (Xn). Risk Phrases (R):20/22-41 – Harmful by inhalation and if swallowed. Risk of serious damage to eyes. Safety Phrases (S): 2-3/7-20-26-36/37/39 -		

Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice.

Phosphoric Acid: Irritant (Xi). Risk Phrases (R): 36/38 – Irritating to eyes and skin. Safety Phrases (S): 1/2-26-45 – Keep locked up and out of reach of children. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. In case of accident or if you feel unwell

Wear suitable protective clothing, gloves and eye/face protection.

seek medical advice immediately (show the label where possible



	SAFETY DATA SHEET Page 5 of 6						
Prepa	Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards SDS Revision: 1.0 SDS Revision Date: 9/23/2020						
	16. OTHER INFORMATION						
16.1	WARNING! HARMFUL IF SWALLOWED. CAUSES SERIOUS EYE IRRITATION. For external use only. Use only as directed. Discontinue use immediately if irritation develops Keep away from children. Keep container tightly closed in a cool place. When using do not eat or drink. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable protective clothing, gloves and eye/face protection. If case of accident or if you feel unwell seek medical advice immediately (show the label where possible). KEEP LOCKED UP AND OUT OF REACH OF CHILDREN.						
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.					
16.3	Disclaimer:	This Safety Data Sheet is offered pursuant to OSHA government regulations must be reviewed for applical information contained herein is reliable and accurate a not guaranteed and no warranties of any type, either herein relates only to the specific product(s). If this promust be considered. Data may be changed from time	bility to this product. To the bas of this date; however, accur expressed or implied, are poduct(s) is combined with other	pest of Hair Systems knowledge, the aracy, suitability or completeness are provided. The information contained or materials, all component properties			

SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, 2001/58 & 1272/2008/EC Standards

SDS Revision: 1.0

SDS Revision Date: 9/23/2020

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number					
EXPOSURE	EXPOSURE LIMITS IN AIR:					
ACGIH	American Conference on Governmental Industrial Hygienists					
С	Ceiling Limit					
ES	Exposure Standard (Australia)					
IDLH	Immediately Dangerous to Life and Health					
OSHA	U.S. Occupational Safety and Health Administration					
PEL	Permissible Exposure Limit					
STEL	Short-Term Exposure Limit					
TLV	Threshold Limit Value					
TW/A	Time Weighted Average					

FIRST AID MEASURES:

CPR	Cardiopulmonary resuscitation - method in which a person whose heart has
	stopped receives manual chest compressions and breathing to circulate blood
	and provide oxygen to the body.


HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard		
1 Slight Hazard			
2	Moderate Hazard		
3	Severe Hazard		
4	Extreme Hazard		



PERSONAL PROTECTION RATINGS:

Α			
В			
С		THE STATE OF THE S	
D		H.	
Е			
F		H.	





Splash Goggles



















Airline Hood/Mask or SCBA

OTHER STANDARD ABBREVIATIONS:


ML	ML Maximum Limit			
mg/m3	mg/m3 milligrams per cubic meter			
NA Not Available				
ND	Not Determined			
NE	Not Established			
NF	Not Found			
NR	No Results			
ppm	parts per million			
SCBA	Self-Contained Breathing Apparatus			

NATIONAL FIRE PROTECTION ASSOCIATION: NFPA

FLAMMABILITY LIMITS IN AIR:									
Autoignition	Autoignition Minimum temperature required to initiate combustion in air with no other								
Temperature	Temperature source of ignition								
LEL	LEL Lower Explosive Limit - lowest percent of vapor in air, by volume, that will								
	explode or ignite in the presence of an ignition source								
UEL	UEL Upper Explosive Limit - highest percent of vapor in air, by volume, that will								
	explode or ignite in the presence of an ignition source								

HAZARD RATINGS:

Minimal Hazard			
1	Slight Hazard		
2 Moderate Hazard			
3 Severe Hazard			
4	Extreme Hazard		
ACD	Acidic		
ALK Alkaline			
COR	Corrosive		
₩	Use No Water		
OX	Oxidizer		
TREFOIL	Radioactive		



TOXICOLOGICAL INFORMATION:

TOXICOLOGICAL INFORMATION.					
LD ₅₀	Lethal Dose (solids & liquids) which kills 50% of the exposed animals				
	S				
LC ₅₀	Lethal concentration (gases) which kills 50% of the exposed animal				
ppm	Concentration expressed in parts of material per million parts				
TD _{Io}	Lowest dose to cause a symptom				
TCLo	Lowest concentration to cause a symptom				
TD _{Io} , LD _{Io} , & LD _o or Lowest dose (or concentration) to cause lethal or toxic effect					
TC, TC _o , LC _{io} , & LC _o					
IARC	International Agency for Research on Cancer				
NTP	National Toxicology Program				
RTECS	Registry of Toxic Effects of Chemical Substances				
BCF	Bioconcentration Factor				
TL _m	Median threshold limit				
log Kow or log Koc	Coefficient of Oil/Water Distribution				

REGULATORY INFORMATION:

WHMIS	IS Canadian Workplace Hazardous Material Information System					
DOT	DOT U.S. Department of Transportation					
TC	Transport Canada					
EPA	U.S. Environmental Protection Agency					
DSL	Canadian Domestic Substance List					
NOHSC	National Occupational Health and Safety Commission (Australia)					
NDSL	Canadian Non-Domestic Substance List					
PSL	Canadian Priority Substances List					
TSCA	U.S. Toxic Substance Control Act					
EU	European Union (European Union Directive 67/548/EEC)					
WGK	Wassergefährdungsklassen (German Water Hazard Class)					
HMIS-III	National Paint & Coatings Association Hazardous Materials Identification System					

WORKPLACE HAZARDOUS MATERIALS IDENTIFICATION (WHMIS) SYSTEM:

	(4)	(2)		\odot	®		
Class A	Class B	Class C	Class D1	Class D2	Class D3	Class E	Class F
Compressed	Flammable	Oxidizing	Toxic	Irritation	Infectious	Corrosive	Reactive

EC (67/548/EEC) INFORMATION:

		E	*			×	×
С	E	F	N	0	Т	Xi	Xn
Corrosive	Explosive	Flammable	Harmful	Oxidizing	Toxic	Irritant	Harmful

CLP/GHS (1272/2008/EC) PICTOGRAMS:

			\Diamond	A Park		♦		*
GHS01	GHS02	GHS03	GHS04	GHS05	GHS06	GHS07	GHS08	GHS09
Explosive	Flammable	Oxidizer	Pressurized	Corrosive	Toxic	Harmful Irritating	Health Hazard	Environment