		SAF	ETY	DA ⁻		HEE	ΞT			Pa	age 1 of 7
Prepa	ared to OSHA, ACC, ANSI, N	OHSC, WHMIS, GHS & EU Standard	ds		SDS	Revision:	1.0	SDS	Revisio	on Date:	5/13/2015
		1. PRODUCT	& COMI	PANY	IDENTIF	ICAT	ION				
1	Product Name:	SUNLIGHTS BALAYA		TENE	2						
2	Chemical Name:	Persulfate Blend Hair Bleach									
.3	Synonyms:	Blend 1310									
.4	Trade Names:	Sunlights Balayage Inc.									
.5	Product Uses & Restrictions:	Professional Cosmetic Use Or	nlv								
.6	Distributor's Name:	Sunlights Balayage Inc.	,								
.7	Distributor's Address:	3330 Piedmont Rd, Ste 10, Atl	anta, GA 303	05							
l.8	Emergency Phone:	Infotrac: 1-(800)-535-5053 1	nternational: (001-352-3	23-3500						
1.9	Business Phone / Fax:	1-678-515-8153									
		0 114									
2.1	Hazard Identification:	2. HA					00-d-	000			
		classification criteria of NOHS DANGER! MAY INTENSIFY IRRITATION. MAY CAUSE IRRITATION. MAY CAUSE IRRITATION. MAY CAUSE IRRITATION. MAY CAUSE IRRITATION. MAY CAUSE IRRITATION. MAY CAUSE DIFFICULTIES IF INHALED. Classification: Oxidizing Solid 2; Eye Irritation - Category Category 1; Single Target Org Hazard Statements (H): H272 Causes skin irritation. H317 irritation. H334 – May cause – May cause respiratory irritat Precautionary Statements (P) smoking. P220 - Keep/Stor breathing dust/fumes. P264 thoroughly after handling. P2 only outdoors or in a well-we allowed out of the workp protection/face protection. F SWALLOWED: Call a POISC ON SKIN: Wash with soap an keep at rest in a position cc cautiously with water for sev continue rinsing. P312 - Call Specific treatment (see section mouth. P332+P313 - If skin irritation or a rash occurs: Ge medical advice/attention. P3 CENTER or doctor/physician reuse. P370+P378 - In cast extinction. P403+P233 - Sto Store locked up. P501 - Disp facility (TSDF).	FIRE; OXID FARE; OXID FARE; OXID FARE SE ALLER MAY CAUSI – Category 3 2A; Respiratu an Toxicity (S – May intense – May intense – May intense – May intense – May intense – May cause allergy or astl ion. : P210 - Keep e away from - Wash hand 70 - Do not ei entilated area lace. P280 '284 - If nec '284 - If nec '284 - If nec '284 - If nec '284 - If nec '00 CENTER of d water. P300 pmfortable foo eral minutes. a POISON (on 4 of the S irritation occu t medical adw 402+P311 - I . P362+P36 e of fire: Use re in a well v	DIZER. HA RGIC SK BY OR E RESPIF F Acute Tro ory Sensi Single Exp sify fire; o an allerg ma symp o away frc clothing/ Is and exa at, drink o D - Wea essary, w or doctor/ D4+P340 r breathir Remove CENTER afety Dat urs: Get n if experien 4 - Take entilated	ARMFUL IF IN REACTI ASTHMA SATORY IRE Divisity – Cate tization	SWALLC ON. C/ SYMPTO ITATION egory 4; 3 Category 2 – Harm ion. H31 athing dif ks/open 1 ustible m areas wit n using 1 ted work e gloves ory prote you feel 1 D: Remo 351+P33 ses if pri vsician if he produ ce/attentic 2313 - If atory sym nated ch itted), dr containe	AUSES S DMS OR N. Skin Irritar 1; Skin ful if swal 19 – Cause fficulties if flames/ho naterials. th soap at this produ c clothing s/protectiv ection. P unwell. F ve victim 38 - IF IN esent and you feel not label). on. P333 eye irritati nptoms: C oothing an ry chemic	SERIO BRE tion – (Sensit lowed. ses ser inhale t surfa P261 nd war ct. P2 shoul e clor 301+P 2302+P	US EX ATHIN Catego ization H315 rious eg d. H33 ces – N - Avc rm wat 271 - Us d not k thing/eg 2322 - Pasz rodo . P321 D - Rins S - Rins rsists g POISC h befo foam f P405	TEG yr - ye35 Noid er se be ye FI FI dies	
		3. COMPOSITIO	ON & ING	REDI	ENT INF	-	-				
					ACGIH		EXPOSURE		IN AIR (m OSHA		
					ppm		opm		ppm		1
							ES- ES-				
		CAS No. RTECS No. 7727-54-0 SE0350000	EINECS No. 231-786-5	% 5-30	TLV STEL (0.1) NA		NF NF	NA	STEL NA	IDLH NA	OTHER
MMQ	ONIUM PERSULFATE	Ox. Sol. 3; Acute Tox. 4; Skin Irri									,H335
ΟΤΑ	SSIUM PERSULFATE	7727-21-1 SE0400000 Ox. Sol. 3; Acute Tox. 4; Skin Irri H335	231-781-8	30-60	(0.1) NA	NF	NF NF	NA	NA	NA	
יים	UM METASILICATE	6834-92-0 VV9275000	229-912-9	1-10	NA NA		NF NF	NA	NA	NA	
~ ~ ~ ~		Acute Tox. 4; Skin Corr. 1B; Seri	ous Eye Dam.	1; STOT SI	E 3; H302, H3 ²	4, H335					

SAFETY DATA SHEET

Page 2 of 7

Prepa	ared to OSHA, ACC, ANSI, N	OHSC, WHMIS, GHS & EU Standards	SDS Revision: 1.0	SDS Revision Date: 5/13/2015
		4. FIRST AID MEA		
4.1	First Aid:	Ingestion: If ingested, do not induce vomiting. D offer plenty of water or milk. Never give	rink plenty of water or milk. ve water or milk to an uncon	scious person. If large quantities are
		ingested, contact the nearest Poison C the time and amount of the substance t <u>Eyes</u> : If product is in the eyes, flush with co	hat was swallowed. Get med pious amounts of water for a	lical attention immediately. at least 15 minutes. Remove contact
		lenses if present and easy to do, co irrigation. If problem persists, consult a <u>Skin</u> : If redness, dryness or other signs of irri	physician.	
		affected skin areas with plenty of warm Inhalation: Give oxygen as necessary and get med		persists, consult a physician.
4.2	Effects of Exposure:	Ingestion: May cause irritation in mouth and through injury by distention of the esophagus or Eyes: May cause irritation, redness, stinging	at. Swallowing may cause e stomach. May cause nausea	a, vomiting and diarrhea.
		developers, the resulting mixture may c Skin: May be irritating to skin, especially after (e.g., rashes, welts, dermatitis) upon pr	ause severe eye irritation and r prolonged contact. The pro	d possible eye injury. oduct can cause allergic skin reactions
		<u>Inhalation:</u> Prolonged exposure may cause irritatio breathing. Excessive inhalation of dus cause asthma-like symptoms in some s	on in nose and throat with che t may result in sensitization a	est discomfort, coughing and difficulty
4.3	Symptoms of Overexposure:	Symptoms of skin overexposure may include redness may cause redness, itching and watering. The production upon prolonged or repeated exposure.	ss, itching, and irritation of a	
4.4	Acute Health Effects:	Moderate irritation to skin near affected areas. This p	product causes serious eve irr	ritation.
4.5	Chronic Health Effects:	The material may accentuate any pre-existing derma		
4.6	Target Organs:	Eyes, skin & respiratory system.		
4.7	Medical Conditions Aggravated by Exposure:	Acute health hazards may be delayed. Most corr include irritating properties to eyes, respiratory sy Existing dermatological conditions (such as eczema) conditions (such as bronchial asthma and/or bron aggravated.	stem and skin. and respiratory nchitis) may be PROTEC	BILITY1AL HAZARDS1TIVE EQUIPMENTB
			EYES	SKIN
		5. FIREFIGHTING MI	EASURES	
5.1	Fire & Explosion Hazards:	DANGER! MAY INTENSIFY FIRE; OXIDIZER. Up and may thereby stimulate combustion of flammable with media appropriate for the burning material. Pu product on towels, sponges or mops may cause fi Rinse sponges and mops thoroughly before stora undergo decomposition in the presence of moistur material with large quantities of water.	e and combustible materials. roduct contains oxidizing ma re. Rinse towels thoroughly age. Persulfate compounds	Extinguish fires terials. Residual before disposal. may ignite and
5.2	Extinguishing Methods:	CO ₂ , Halon (if permitted), Dry Chemical, Foam, as Class A or Class B extinguisher should be sufficient extinguisher should also be appropriate to address th Flood with water and use water spray to cool fire-exp	for the product. However, so the location of the fire and equ	election of a fire lipment involved.
5.3	Firefighting Procedures:	This product is an oxidizer and may intensify fire. self-contained breathing apparatus (pressure-deman cool until well after the fire is out. Use water spray personnel. Prevent runoff from fire control or dilution supply, or any natural waterway. Firefighters must us positive pressure self-contained breathing appara decomposition products. <u>HazChem Code</u> : 2P <u>Hazard Identification Number</u> : 50	As in any fire, wear MSHA/N d) and full protective gear. to cool fire-exposed surface from entering sewers, drains se full bunker gear including N	VIOSH approved Keep containers es and to protect s, drinking water VIOSH-approved
		6. ACCIDENTAL RELEAS	E MEASURES	
6.1	Spills:	Before cleaning any spill or leak, individuals invol Equipment. Plastic or rubber gloves, respirator, eye <u>Small Spills</u> : (e.g., ≤ 1.0 lbs (0.45 kg)). Wear approp Use a non-combustible material such as vermiculite disposal. Do not use water or a material such as sparking materials (e.g., plastic brooms, shovels, d another container. <u>Large Spills</u> : (e.g., > 1.0 lbs (0.45 kg)) Keep incom upwind and away from spill or release. Isolate imm Stop spill or release if it can be done with minimal protection as conditions warrant.	ved in spill cleanup must w protection and apron may be riate protective equipment inc or sand to soak up the produ "speedy dry" to soak up mat ustpans) and place into a p patible materials (e.g., organi ediate hazard area and keep	required for clean-up of large spills. cluding gloves and protective eyewear. uct and place into a container for later terial. Sweep up material using non- lastic container or plastic liner within ics such as oil) away from spill. Stay o unauthorized personnel out of area.

	SAFETY DATA	SHEET	Page 3 of 7		
Prepared to OSHA, ACC, ANSI, NO	DHSC, WHMIS, GHS & EU Standards	SDS Revision: 1.0	SDS Revision Date: 5/13/2015		

	7. HANDLING & STORAGE INFORMATION							
7.1	Work & Hygiene Practices:	Do not eat, drink or smoke when handling this product. Wash thoroughly after handling. Avoid contact with flammable or combustible materials. Avoid contamination from any source, including metals, dust and organic materials. Keep bulk materials covered. Use chemical goggles if eye contact is possible. Wash unintentional residues with soap and warm water.						
7.2	Storage & Handling:	Keep this material away from heat, sparks and open flame. Use and store in a cool, dry, well-ventilated location (e.g., local exhaust ventilation, fans) away from heat and direct sunlight. Avoid temperatures above 120 °F (49 °C). Keep away from incompatible substances. Protect containers from physical damage. To avoid unintentional spraying keep cap in place when not in use. Store away from incompatible materials (see Section 10).						
7.3	Special Precautions:	Spilled material may present a slipping hazard if left unattended. Clean all spills promptly. Do not allow stored material to come into contact with moisture (keep lids properly affixed on product stored in plastic tubs). Do not store metal utensils inside containers of product.						

8. EXPOSURE CONTROLS & PERSONAL PROTECTION

8.1	Exposure Limits:		ACGIH NOHSC			OSHA			OTHER			
	ppm (mg/m ³)	CHEMICAL NAME(S)	TLV	STEL	ES-TWA	ES-STEL	ES-PEAK	PEL	STEL	IDLH		
		POTASSIUM PERSULFATE	(0.1)	NA	NF	NF	NF	NA	NA	NA		
		AMMONIUM PERSULFATE	(0.1)	NA	NF	NF	NF	NA	NA	NA		
8.2	Ventilation & Engineering Controls:	a b 1	When working with large quantities of product, provide adequate ventilation (e.g., local exhaust ventilation, fans), to ke exposure below the airborne exposure limits. Ensure that an eyewash station, sink or washbasin is available in case exposure to eves									
8.3	Respiratory Protection:	necessary, use only respirate §1910.134, or applicable U.	No special respiratory protection is required under typical circumstances of use or handling. If necessary, use only respiratory protection authorized per U.S. OSHA's requirement in 29 CFR §1910.134, or applicable U.S. state regulations, or the appropriate standards of Canada, its provinces, E.C. member states, or Australia.									
8.4	Eye Protection:	Avoid contact. Wear protective eyewear (e.g., safety glasses with side-shield) at all times when handling this product. Always use protective eyewear when cleaning spills or leaks. Contact lenses pose a special hazard; soft lenses may absorb and concentrate irritants.										
8.5	Hand Protection:	latex or rubber gloves for re	If anticipated that prolonged & repeated skin contact will occur during use of this product, wear latex or rubber gloves for routine industrial use. If necessary, refer to U.S. OSHA 29 CFR §1910.138, the appropriate standards of Canada, of the E.C. member states.									
8.6	Body Protection:	No special body protection is required under typical circumstances of use and handling. Wear appropriate protective clothing to prevent skin contact, (e.g., boots, lab coat, apron, coveralls) as needed. If necessary, refer to appropriate standards of Canada, the E.C. member states, or U.S. OSHA.										

9. PHYSICAL & CHEMICAL PROPERTIES

9.1	Appearance:	Free flowing powder
9.2	Odor:	Bleach odor (no fragrance added)
9.3	Odor Threshold:	NA
9.4	pH:	9-11.5
9.5	Melting Point/Freezing Point:	NA
9.6	Initial Boiling Point/Boiling Range:	NA
9.7	Flashpoint:	NA
9.8	Upper/Lower Flammability Limits:	NA
9.9	Vapor Pressure:	NA
9.10	Vapor Density:	NA
9.11	Relative Density:	< 0.5
9.12	Solubility:	4.7 g in 100 mL water
9.13	Partition Coefficient (log Pow):	NA
9.14	Autoignition Temperature:	NA
9.15	Decomposition Temperature:	NA
9.16	Viscosity:	NA
9.17	Other Information:	%VOC @ 21 °C (70 °F): 0

_		SAFETY D	DATA SHEET	Page 4 of 7
Prepa	ared to OSHA, ACC, ANSI, N	I OHSC, WHMIS, GHS & EU Standards	SDS Revision: 1.0	SDS Revision Date: 5/13/2015
0.4	Olah ilih a	10. STABILITY a		
10.1	Stability:	Unstable. Gradually decomposes losing oxyg stainless steel are apt to cause decompositio with ammonium salt solutions resulting in evo pressures.	n of persulfate solutions. Generates	s heat when mixed with acid. May re
0.2	Hazardous Decomposition Products:	If exposed to <u>extremely high temperatures</u> , p gases (e.g., CO, CO ₂ , and SO ₂). Liberation of moisture to form oxygen and ozone. Burning r	of gas (e.g., oxygen) may result in o	dangerous pressures. Decomposed
10.3	Hazardous Polymerization:	Will not occur. Open flames, sparks, high heat and direct sur	light Maiatura combustible mater	ial boat flows ignition sources abo
0.4	Conditions to Avoid:	friction, powdered metals, phosphorus, hydride	es, organic matter, halogens, acids,	alkalis, and incompatibles.
10.5	Incompatible Substances:	Reducing agents, organics, some acids, flam product. Avoid contamination with moisture, c		
		11. TOXICOLOGIC	AL INFORMATION	
1.1	Routes of Entry:	Inhalation: YES	Absorption: YES	Ingestion: YES
1.2	Toxicity Data:	This product has NOT been tested on animals available for some of the components of the p		
1.3	Acute Toxicity:	Moderate irritation to skin near affected areas		
1.4	Chronic Toxicity:	The material may aggravate any pre-existin reactions (e.g., rashes, welts, dermatitis) upor	g skin condition (e.g., dermatitis).	
1.5	Suspected Carcinogen:	No		
1.6	Reproductive Toxicity:	This product is not reported to produce reproc	luctive toxicity in humans.	
	Mutagenicity:	This product is not reported to produce mutag	enic effects in humans.	
	Embryotoxicity:	This product is not reported to produce embry	otoxic effects in humans.	
	Teratogenicity:	This product is not reported to cause teratoge	nic effects in humans.	
	Reproductive Toxicity:	This product is not reported to cause reproduce	ctive effects in humans.	
1.7	Irritancy of Product:	The product can cause allergic skin reactions	(e.g., rashes, welts, dermatitis) upo	on prolonged or repeated exposure.
1.8	Biological Exposure Indices:	NE		
1.9	Physician Recommendations:	Treat symptomatically.		
		12. ECOLOGICAL		
12.1	Environmental Stability:	The components of this product will slowl environmental data available for the compone Sheet.		
12.2	Effects on Plants & Animals:	There are no specific data available for this pr	oduct.	
12.3	Effects on Aquatic Life:	This product was not tested on animals. Spe product, but are not presented in this Safety D	ecific aquatic test data is available	for the some of the components of t
		13. DISPOSAL CC	NSIDERATIONS	
3.1	Waste Disposal:	Waste disposal must be in accordance with a		regulations
3.2	Special Considerations:	U.S. EPA Waste Number: D001 (characteristic	• •	
		14. TRANSPORTATI		
		nber, proper shipping name, hazard class & divi e required by 49 CFR, IATA/ICAO, IMDG and th		each mode of transportation. Additio
14.1	49 CFR (GND):	UN1479, OXIDIZING SOLID, N.O.S. (potassiu (LTD QTY, IP VOL ≤ 5.0 kg); or CONSUMER	um persulfate, ammonium persulfat	
14.2	IATA (AIR):	UN1479, OXIDIZING SOLID, N.O.S. (potassiu (LTD QTY, IP VOL ≤ 1.0 kg)	um persulfate, ammonium persulfate	e), 5.1, III
4.3	IMDG (OCN):	UN1479, OXIDIZING SOLID, N.O.S. (potassiu (LTD QTY, IP VOL ≤ 5.0 kg)	um persulfate, ammonium persulfate	
4.4	TDGR (Canadian GND):	UN1479, OXIDIZING SOLID, N.O.S. (potassii (LTD QTY, IP VOL ≤ 5.0 kg); or "LIMITED QU "QUANT LTÉE" (IP VOL ≤ 5.0 kg)	um persulfate, ammonium persulfat IANTITY" or "QUANTITÉ LIMITÉE"	e), 5.1, III or "LTD QTY" or e), 5.1, III
4.5	ADR/RID (EU):	UN1479, OXIDIZING SOLID, N.O.S. (potassiu (LTD QTY, IP VOL ≤ 5.0 kg)	um persulfate, ammonium persulfate	e), 5.1, III
14.6	SCT (MEXICO):	UN1479, SOLIDO COMBURENTE, N.E.P. (p (CANTIDAD LIMITADA, IP VOL ≤ 5.0 kg)	ersulfato de potasio, persulfato de a	ammonia), 5.1, III
	ADGR (AUS):	UN1479, OXIDIZING SOLID, N.O.S. (potassi	um persulfate, ammonium persulfat	e) 5.1 III

SAFETY DATA SHEET

Page 5 of 7

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards

Γ

SDS Revision: 1.0

SDS Revision Date: 5/13/2015

		15. REGULATORY INFORMATION
15.1	SARA Reporting Requirements:	This product does not contain any substances subject to SARA Title III, section 313 reporting requirements.
15.2	SARA Threshold Planning Qty:	There are no specific Threshold Planning Quantities for the components of this product.
15.3	TSCA Inventory Status:	The components of this product are listed on the TSCA Inventory.
15.4	CERCLA Reportable Quantity:	NA
15.5	Other Federal Requirements:	This material does not contain any hazardous air pollutants. None of the components in this product are listed as priority pollutants under the CWA. None of the components in this product are listed as toxic pollutants under the CWA.
15.6	Other Canadian Regulations:	This product has been classified according to the hazard criteria of the CPR and the Safety Data Sheet contains all of the information required by the CPR. The components of this product are listed on the DSL/NDSL. None of the components of this product are listed on the Priorities Substances List. WHMIS C, D2B (Oxidizing Agent, Other Toxic Effects)
15.7	State Regulatory Information:	Potassium Persulfate is found on the following state criteria lists: Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), and Pennsylvania Right-to-Know List (PA). <u>Ammonium Persulfate</u> is found on the following state criteria lists: NJ and PA.
		No other ingredients in this product, present in a concentration of 1.0% or greater, are listed on any of the following state criteria lists: California Proposition 65 (CA65), Delaware Air Quality Management List (DE), Florida Toxic Substances List (FL), Massachusetts Hazardous Substances List (MA), Michigan Critical Substances List (MI), Minnesota Hazardous Substances List (MN), New Jersey Right-to-Know List (NJ), New York Hazardous Substances List (NY), Pennsylvania Right-to-Know List (PA), Washington Permissible Exposures List (WA), Wisconsin Hazardous Substances List (WI).
15.8	Other Requirements:	The primary components of this product are listed in Annex I of EU Directive 67/548/EEC: <u>Potassium Persulfate</u> : Oxidizer, Harmful (O, Xn). <u>Risk Phrases</u> (R): 8-22-36/37/38-42/43 – Contact with combustible material may cause fire. Harmful if swallowed. Irritating to eyes, respiratory system and skin. May cause sensitization by inhalation and skin contact. <u>Safety Phrases</u> (S): (2)-3-7-17- 22-24-26-37-51 - Keep out of the reach of children. Keep in a cool place. Keep container tightly closed. Keep away from combustible material. Do not breathe dust. Avoid contact with skin. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves. Use only in well-ventilated areas. <u>Ammonium Persulfate</u> : Oxidizer, Harmful (O, Xn). <u>Risk Phrases</u> (R): 8-22-36/37/38-42/43 – Contact with combustible material may cause fire. Harmful if swallowed. Irritating to eyes, respiratory system and skin. May cause sensitization by inhalation and skin contact. <u>Safety Phrases</u> (S): (2)-3-7-17- 22-24-26-37-51 - Keep out of the reach of children. Keep in a cool place. Keep container tightly closed. Keep away from combustible material. Do not breathe dust. Avoid contact with skin. In case of contact with eyes, rinse immediately with plenty of water and seek medical advice. Wear suitable gloves. Use only in well-ventilated areas.

		SAFETY	DATA SHEET		Page 6 of 7			
Prepa	ared to OSHA, ACC, ANS	I, NOHSC, WHMIS, GHS & EU Standards	SDS Revision: 1.0	SDS Revision Dat	te: 5/13/2015			
		16. OTHER I	NFORMATION					
16.1	Other Information: Other Information: DANGER! MAY INTENSIFY FIRE; OXIDIZER. HARMFUL IF SWALLOWED. CAUSES SKIN IRRITATION. CAUSE AN ALLERGIC SKIN REACTION. CAUSES SERIOUS EYE IRRITATION. MAY CAUSE ALLERGING ASTHMA SYMPTOMS OR BREATHING DIFFICULTIES IF INHALED. MAY CAUSE RESPIRATORY IRRITA Keep away from heat/sparks/open flames/hot surfaces – No smoking. Keep/Store away clothing/cotton/combustible materials. Avoid breathing dust/fumes. Wash hands and exposed skin areas with soar warm water thoroughly after handling. Do not eat, drink or smoke when using this product. Use only outdoors of well-ventilated area. Contaminated work clothing should not be allowed out of the workplace. Wear prod gloves/protective clothing/eye protection/face protection. If necessary, wear respiratory protection. IF SWALLC Call a POISON CENTER or doctor/physician if you feel unwell. IF ON SKIN: Wash with soap and water. IF INH- Remove victim to fresh air and keep at rest in a position comfortable for breathing. IF IN EYES: Rinse cautious water for several minutes. Remove contact lenses if present and easy to do – continue rinsing. Call a PO CENTER or doctor/physician if you feel unwell. Specific treatment (see section 4 of the Safety Data Sheet product label) Rinse mouth. If skin irritation occurs: Get medical advice/attention. If skin irritation or a rash occur medical advice/attention. If eye irritation persists get medical advice/attention. If skin irritation or a rash occur medical advice/attention. If you feel unwell. Take off contaminated clothing and wash before reuse. In case Use CO2, Halon (if permitted), dry chemical, or foam for extinction. Store in a well ventilated place. Keep cor tightly closed. Store locked up. KEEP LOCKED UP AND OUT OF REACH OF CHILDREN							
16.2	Terms & Definitions:	See last page of this Safety Data Sheet.						
16.3	Disclaimer:	regulations must be reviewed for applicability to t reliable and accurate as of this date; however, either expressed or implied, are provided. The	This Safety Data Sheet is offered pursuant to OSHA's Hazard Communication Standard, 29 CFR §1910.1200. Other government regulations must be reviewed for applicability to this product. To the best of Hair Systems knowledge, the information contained herein is reliable and accurate as of this date; however, accuracy, suitability or completeness is not guaranteed and no warranties of any type, either expressed or implied, are provided. The information contained herein relates only to the specific product(s). If this product(s) is combined with other materials, all component properties must be considered. Data may be changed from time to time. Be sure to consult					
16.4	Issued by:	Hair Systems, Inc. 30 Park Avenue Englishtown, NJ 07726 USA Tel: +1 (732) 446-2202 Fax: +1 (732) 446-7968 http://www.hairsystemsinc.com	HAIR SYSTEMS IN Processors & Packagers of Quality Hair Care Pro					



SAFETY DATA SHEET

Prepared to OSHA, ACC, ANSI, NOHSC, WHMIS, GHS & EU Standards

SDS Revision: 1.0

SDS Revision Date: 5/13/2015

DEFINITION OF TERMS

A large number of abbreviations and acronyms appear on a SDS. Some of these that are commonly used include the following:

GENERAL INFORMATION:

CAS No.	Chemical Abstract Service Number							
EXPOSURE	EXPOSURE LIMITS IN AIR:							
ACGIH	American Conference on Governmental Industrial Hygienists							
C	Ceiling Limit							
ES	Exposure Standard (Australia)							
IDLH	Immediately Dangerous to Life and Health							
OSHA	U.S. Occupational Safety and Health Administration							
PEL	Permissible Exposure Limit							
STEL	Short-Term Exposure Limit							
TLV	Threshold Limit Value							
TWA	Time Weighted Average							
	EASURES							

FIRST AID MEASURES:

CPR Cardiopulmonary resuscitation - method in which a person whose heart has stopped receives manual chest compressions and breathing to circulate blood and provide oxygen to the body.

HMIS-III HEALTH, FLAMMABILITY & REACTIVITY RATINGS:

0	Minimal Hazard	HEALTH
1	Slight Hazard	FLAMMABILITY
2	Moderate Hazard	PHYSICAL HAZARDS
3	Severe Hazard	PERSONAL PROTECTION
4	Extreme Hazard	

PERSONAL PROTECTION RATINGS:

Α						G					
в						Н					
С			品			I	0				
D	B		R			J	0		Î		
Е						κ	Î				
F	8					X			ervisor or directions	SOPs for	
Sa	Safety Glasses Splash Goggles				F		Shield 8 tive Eyew		Glove	s	
	Boots		Synthetic	Apron	F	Protective Clothing & Full Suit Dust Respirator					
Full I	Face Respi	rator	Dust & Va Mask Res				ull Face spirator	А	irline Hoo or SCI		
отн	ER STAN	DARD		•	S:						
	ML	Maxim	um Limit								
	mg/m3	milligra	ams per cu	oic meter							
	NA	Not Av	ailable								
	ND	Not De	etermined								
	NE	Not Es	stablished								
	NF	Not Fo	bund								
NR No Results											
ppm parts per million											
	SCBA	Self-C	ontained B	reathing A	ppar	atus					
NAT	IONAL FI	RE PR	OTECTIO	N ASSO	CIA	TION	: NFPA				
FLA	MMABILI	TY LIM	ITS IN AI	R:							
	toignition nperature		um temper of ignition	ature requ	uired	to ini	tiate com	bustion ir	air with	no other	
	LEL		Explosive						y volume,	that will	

explode or ignite in the presence of an ignition source

explode or ignite in the presence of an ignition source

Upper Explosive Limit - highest percent of vapor in air, by volume, that will

UEL

d include the		_							
HAZARD					1				
		Minimal Hazard							
	1 Slight H								
		ate Hazaro	ł						
		Hazard							
		e Hazard							
ACE		Acidic					v		
ALł	Alkaline	Alkaline							
COF	R Corrosi	Corrosive					RE	ACTIVITY	
¥	Use No	Use No Water						/	
0)	K Oxidize	er							
TREFOIL	L Radioa	Radioactive				$\langle 1 \rangle$	2		
TOXICOLOGICAL INFORMATION:									
	L	.D ₅₀ Let	hal Dose (s	olids & lie			₩	2	
	L	.C ₅₀ Let	Lethal concentration (gases) wh						
	pm Co	Concentration expressed in part PRECAUTION							
	Dio Lov	Lowest dose to cause a symptom							
	-	Lowest concentration to cause a symptom							
TD _{io} ,	LD _{lo} , & LD		Lowest dose (or concentration) to cause lethal or toxic effects						
	Co, LC ₁₀ , & L								
,			ernational A	aency for	Researc	h on Cancer			
		International Agency for Research on Cancer National Toxicology Program							
	RTE								
			Registry of Toxic Effects of Chemical Substances						
			Bioconcentration Factor						
			Median threshold limit						
log Kow or log Koc Coefficient of Oil/Water Distribution									
REGULATORY INFORMATION:									
WHMIS	S Canadi	Canadian Workplace Hazardous Material Information System							
DO	U.S. De	U.S. Department of Transportation							
т	C Transp	Transport Canada							
EPA		U.S. Environmental Protection Agency							
DSI		Canadian Domestic Substance List							
NOHSO		National Occupational Health and Safety Commission (Australia)							
		•							
NDSI		Canadian Non-Domestic Substance List							
PSI		Canadian Priority Substances List							
TSCA		U.S. Toxic Substance Control Act							
El		European Union (European Union Directive 67/548/EEC)							
WGł	Wasse	Wassergefährdungsklassen (German Water Hazard Class)							
HMIS-II	II Nationa	National Paint & Coatings Association Hazardous Materials Identification System							
WORKPL	ACE HAZ	ZARDOL	IS MATER	RIALS II	DENTIF	ICATION (WHMIS) SY	STEM:	
0	۲	١		9	Ţ				
Class A	Class B	Class	C Class	D1 0	Class D2	Class D3	Class E	Class F	
Compressed	Flammable	Oxidizi	ng Tox	ic I	rritation	Infectious	Corrosive	Reactive	
EC (67/548/EEC) INFORMATION:									
11ª		×	,		8	.	×	×	
С	Е	F	N	1	0	т	Xi	Xn	
Corrosive	Explosive	Flamma	able Harn	nful (Oxidizing	Toxic	Irritant	Harmful	
CLP/GHS		٢							
GHS01	GHS02	GHS03				Harmfi		GHS09	
Explosive F	lammable	Oxidizer	Pressurized	Corrosiv	e Toxi	ic Irritatin		Environment	